HIGHLAND HOME CENTRE

HIGHLAND HOME CENTRE



WOOD-FIRED HOT TUBS


BALTREST



ABOUT US

At Highlands Home Centre, we're proud to be Aviemore's trusted destination for quality home and lifestyle products. Serving the heart of the Highlands, we bring together a wide range of essentials and unique finds to help make your house a home. From stylish furnishings and practical household items to thoughtful gifts and local touches, our collection is carefully chosen to suit every taste and lifestyle.

As a family-run business, we value personal service and a friendly shopping experience. Whether you're a local resident or just passing through Aviemore, our team is here to offer advice, inspiration, and a warm welcome. At Highlands Home Centre, it's all about community, quality, and helping you enjoy the very best of Highland living.

highlandhomecentre.co.uk

FIBERGLASS

This material (70% fiberglass) is based on polyether resin, has the sturdiness and longevity of metals in addition to being biologically durable as a polymer (does not rot, change colour or become brittle).

- Corrosion-resistant
- Does not warp
- Good physical and mechanical characteristics
- Resistant to aggressive environments
- Does not emit toxic compounds when heated



Antiparasitic Resistance



Incredibly Durable



Average service life - 10 years

Color variation of the shell according to RAL palette



5010 7016 6034 1013 9005

Hot tub shell is made from fiberglass with protective gelcoating BÜFA-VP Marine-NPG that is used in shipbuilding.

The volume of water from 1 100 to 1 600l



Thermowood upholstery

Aluminum or stainless steel wood-burning stove 27 - 35Kw

EQUIPMENT AND ACCESSORIES



AIR MASSAGE SYSTEM AIR8


8 chrome-plated nozzles are installed along the perimeter on the bottom of a hot tub.
With the help of an air compressor (power 700 W), compressed air is supplied to the water.
The system is controlled by a pneumatic on / off button located on the side of the hot tub (Fiberglass series) or on a wooden shelf (STEEL and Thermowood series).



HYDROMASSAGE SYSTEM HDR8

The hydromassage system is installed on 2 seats (4 nozzles each) at the back level.

With the help of a compressor (power 750 W), water is supplied under pressure.
The system is controlled by a pneumatic on/off button and an intensity regulator located on the side of the hot tub.



LED LIGHTING LED 8

LED system (power 9 W) has 8 modes of operation: 7 permanent colours (red, green, blue, yellow, purple, turquoise, white) and the 8th mode - a smooth transition between colours.
The system is controlled by a pneumatic on/off button located on the side of the hot tub.



SAND FILTRATION SYSTEM

The sand filter (power 140 W) is designed to purify water in a hot tub.
When the filter is in operation, water changes are required less frequently, which significantly saves time.



ADDITIONAL PEARL EFFECT

Pearl sheen creates a unique and beautiful colour of the shell. The hot tub looks different depending on the lighting and viewing angle.



INSULATION OF THE SHELL WITH POLYURETHANE

Insulation of the shell with high-strength seamless polyurethane foam (50 mm) at the factory increases thermal insulation characteristics, reduces heat loss of water in the hot tub and saves time during heating.



INSULATED COVER

The cover consists of an aluminium frame filled with EPS insulation (70 mm).
Outer material: leatherette, UV and mildew resistant.
Cover interior material: heat reflective fabric. The cover folds in half.



CHIMNEY GUARD

The guard is installed on the lower section of the chimney. It prevents burns in case of an accidental contact with the chimney.



DRAIN VALVE

Drainage system 3/4 with mounting elements is designed to drain water from the hot tub.



GROMMET PLUGS

The plugs are installed from the inside of the hot tub. They are designed to stop the circulation of water through the heating element after the furnace is put out.



STEPS LUX

Designed for comfortable entry into the hot tub. Made of thermowood, the height is 50 cm.



WATER THERMOMETER

Allows you to monitor the temperature regime and avoid overheating / underheating of water in the hot tub.



FIBERGLASS HOT TUBS



FIBERGLASS series	The Cairn Toul	The Braeriach	The Monadh Mòr	The Derry Cairngorm	The Bynack More	The Beinn Mheadhoin	The Cairn gorm	The Bynack More
Model number	**TP217**	**TP24**	**TP82**	**TP8**	**TP2V**	**TP18V**	**TP18**	**TP19**
Shape	rectangular	octagonal	octagonal	octagonal	round	round	round	oval
Size	2.0×1.7	2.4×1.8	2.0×2.0	1.8×1.8	Ø2.0m	Ø1.8m	Ø1.8m	1.85×0.95
Capacity	8 persons	9 persons	7 persons	6 persons	4–6 persons	3 persons	4 persons	2 persons
Volume	1 400l	1 600l	1 600l	1 200l	1 100l	1 000l	1 100l	800l
Weight	240kg	240kg	220kg	180kg	265kg	170kg	180kg	120kg
Height	1.1m	1.1m	1.1m	1.1m	1.1m	1.1m	1.1m	1.1m
Depth	0.96m	0.96m	0.96m	0.96m	0.96m	0.96m	0.96m	0.96m
Height of seats	280mm	280mm	274mm	274mm	245mm	280mm	280mm	280mm
Width of seats	460mm	460mm	341mm	341mm	350mm	290mm	290mm	480mm
Thermowood outside thickness	18mm	18mm	18mm	18mm	18mm	18mm	18mm	18mm
Waterproof plywood flooring	9mm	9mm	9mm	9mm	9mm	9mm	9mm	9mm
Package size	200×120×180	240×120×190	200×120×210	180×120×190	200×120×210	180×120×190	180×120×190	185×120×105



The Cairn Toul

for 8 persons 2.0×1.7m

Model	TP217
Size	2.0×1.7
Capacity	8 persons
Volume	1 400l
Weight	240kg
Height	1.1m
Depth	0.96m
Height of seats	280mm
Width of seats	460mm
Thermowood outside thickness	18mm
Waterproof plywood flooring	9mm
Package size	200x120x180

Hot tub shell:
FIBERGLASS

Cladding
Thermowood

Stove
- **Aluminium 27 - 35kW**
- **Stainless steel - 35kW**

Basic Set
Fiberglass liner
Thermowood upholstery (18mm)
4 headrests
Waterproof plywood flooring
Drain

RAL fiberglass colours


5010


7016


6034

1013


9005

ADDITIONAL EQUIPMENT

- Air massage system AIR8
- Led lighting LED8
- Insulation if the shell with polyurethane
- Hydromassage system HDR8
- Sand filtration system
- Additional pearl effect

- Insulated cover
- Drain valve
- Water thermometer
- Chimney guard
- Grommet plugs
- Steps



The Braeriach

for 9 persons 2.4×1.8m

Model	TP24
Size	2.4×1.8
Capacity	9 persons
Volume	1 600l
Weight	240kg
Height	1.1m
Depth	0.96m
Height of seats	280mm
Width of seats	460mm
Thermowood outside thickness	18mm
Waterproof plywood flooring	9mm
Package size	240x120x190

Hot tub shell:
FIBERGLASS

Cladding
Thermowood

Stove
- **Aluminium 27 - 35kW**
- **Stainless steel - 35kW**

Basic Set
Fiberglass liner
Thermowood upholstery (18mm)
4 headrests
Waterproof plywood flooring
Drain

RAL fiberglass colours


5010


7016


6034

1013


9005

ADDITIONAL EQUIPMENT

- Air massage system AIR8
- Led lighting LED8
- Insulation if the shell with polyurethane
- Hydromassage system HDR8
- Sand filtration system
- Additional pearl effect

- Insulated cover
- Drain valve
- Water thermometer
- Chimney guard
- Grommet plugs
- Steps



The Monadh Mòr

for 7 persons 2.0×2.0m

Model	TP82
Size	2.0×2.0
Capacity	7 persons
Volume	1 600l
Weight	220kg
Height	1.1m
Depth	0.96m
Height of seats	274mm
Width of seats	341mm
Thermowood outside thickness	18mm
Waterproof plywood flooring	9mm
Package size	200x120x210

Hot tub shell:
FIBERGLASS

Cladding
Thermowood

Stove
- **Aluminium 27 - 35kW**
- **Stainless steel - 35kW**

Basic Set
Fiberglass liner
Thermowood upholstery (18mm)
4 headrests
Waterproof plywood flooring
Drain

RAL fiberglass colours


5010


7016


6034

1013


9005

ADDITIONAL EQUIPMENT

- Air massage system AIR8
- Led lighting LED8
- Insulation if the shell with polyurethane
- Hydromassage system HDR8
- Sand filtration system
- Additional pearl effect

- Insulated cover
- Drain valve
- Water thermometer
- Chimney guard
- Grommet plugs
- Steps



The Derry Cairngorm

for 6 persons 1.8×1.8

Model	TP8
Size	1.8×1.8
Capacity	6 persons
Volume	1 200l
Weight	180kg
Height	1.1m
Depth	0.96m
Height of seats	274mm
Width of seats	341mm
Thermowood outside thickness	18mm
Waterproof plywood flooring	9mm
Package size	180x120x190

Hot tub shell:
FIBERGLASS

Cladding
Thermowood

Stove
- **Aluminium 27 - 35kW**
- **Stainless steel - 35kW**

Basic Set
Fiberglass liner
Thermowood upholstery (18mm)
4 headrests
Waterproof plywood flooring
Drain

RAL fiberglass colours



5010 7016 6034 1013 9005

ADDITIONAL EQUIPMENT

- Air massage system AIR8
- Led lighting LED8
- Insulation if the shell with polyurethane
- Hydromassage system HDR8
- Sand filtration system
- Additional pearl effect

- Insulated cover
- Drain valve
- Water thermometer
- Chimney guard
- Grommet plugs
- Steps



The Ben Macdui

with integrated stove for 5 people Ø2.0m

Model	TP2V
Size	Ø2.0m
Capacity	4–6 persons
Volume	1 100l
Weight	265kg
Height	1.1m
Depth	0.83m
Height of seats	245mm
Width of seats	350mm
Thermowood outside thickness	18mm
Waterproof plywood flooring	9mm
Package size	180x120x190
Volume of water in the integrated stove	45l
Stove weight with chimney set	49kg, body only – 35kg

Hot tub shell:
FIBERGLASS

Cladding
Thermowood

Stove
- **Aluminium 27 - 35kW**
- **Stainless steel - 35kW**

Basic Set
Fiberglass liner
Thermowood upholstery (18mm)
Integrated stainless steel (AISI304) stove 30kW
Chimney guard
Waterproof plywood flooring
Drain

RAL fiberglass colours


5010


7016


6034

1013


9005

ADDITIONAL EQUIPMENT

- Air massage system AIR8
- Led lighting LED8
- Additional pearl effect
- Hydromassage system HDR8
- Sand filtration system

- Insulated cover
- Drain valve
- Water thermometer
- Chimney guard
- Grommet plugs
- Steps



The Beinn Mheadhoin

for 3 persons Ø1,8m

Model	TP18V inside stove
Size	Ø1,8m
Capacity	3 persons
Volume	1 000l
Weight	170kg
Height	1.1m
Depth	0.96m
Height of seats	280mm
Width of seats	290mm
Thermowood outside thickness	18mm
Waterproof plywood flooring	9mm
Package size	180x120x190

Hot tub shell:
FIBERGLASS

Cladding
Thermowood

Stove
- **Aluminium 27 - 35kW**
- **Stainless steel - 35kW**

Basic Set
Fiberglass liner
Thermowood upholstery (18mm)
Waterproof plywood flooring
Drain valve

RAL fiberglass colours


5010


7016


6034

1013


9005

ADDITIONAL EQUIPMENT

- Air massage system AIR8
- Led lighting LED8
- Additional pearl effect
- Hydromassage system HDR8
- Sand filtration system

- Insulated cover
- Drain valve
- Water thermometer
- Chimney guard
- Grommet plugs
- Steps



The Bynack More

for 4 persons Ø1,8m

Model	TP18 outside stove
Size	Ø1,8m
Capacity	4 persons
Volume	1 100l
Weight	180kg
Height	1.1m
Depth	0.96m
Height of seats	280mm
Width of seats	290mm
Thermowood outside thickness	18mm
Waterproof plywood flooring	9mm
Package size	180x120x190

Hot tub shell:
FIBERGLASS

Cladding
Thermowood

Stove
- **Aluminium 27 - 35kW**
- **Stainless steel - 35kW**

Basic Set
Fiberglass liner
Thermowood upholstery (18mm)
Waterproof plywood flooring
Drain valve

RAL fiberglass colours


5010


7016


6034

1013


9005

ADDITIONAL EQUIPMENT

- Air massage system AIR8
- Led lighting LED8
- Additional pearl effect
- Hydromassage system HDR8
- Sand filtration system

- Insulated cover
- Drain valve
- Water thermometer
- Chimney guard
- Grommet plugs
- Steps



The Cairn Gorm

for 2 persons 1,85×0,95m

Model	TP219
Size	1,85x0,95
Capacity	2 persons
Volume	800l
Weight	120kg
Height	1.1m
Depth	0.96m
Height of seats	280mm
Width of seats	480mm
Thermowood outside thickness	18mm
Waterproof plywood flooring	9mm
Package size	185x120x105

Hot tub shell:
FIBERGLASS

Cladding
Thermowood

Stove
- **Aluminium 27 - 35kW**
- **Stainless steel - 35kW**

Basic Set
Fiberglass liner
Thermowood upholstery (18mm)
2 headrests
Waterproof plywood flooring
Drain

RAL fiberglass colours


5010


7016


6034

1013



9005

ADDITIONAL EQUIPMENT

- Air massage system AIR8
- Led lighting LED8
- Insulation if the shell with polyurethane
- Hydromassage system HDR8
- Sand filtration system
- Additional pearl effect

- Insulated cover
- Drain valve
- Water thermometer
- Chimney guard
- Grommet plugs
- Steps

WOODEN HOT TUBS



WOODEN HOT TUB series

Model number	LE/LL/LT16		LE/LL/LT18		LE/LL/LT20		LE/LL/LT22		LE/LL/LT24	
Size	Ø1,6		Ø1,8		Ø2,0		Ø2,2		Ø2,4	
Stove	Outside	Inside	Outside	Inside	Outside	Inside	Outside	Inside	Outside	Inside
Capacity	4-6 persons	4-5 persons	7-8 persons	6-7 persons	8-10 persons	7-8 persons	9-11 persons	8-9 persons	10-12 persons	9-10 persons
Volume	1 400l	1 300l	1 900l	1 800l	2 400l	2 300l	3 000l	2 900l	3 700l	3 600l
Weight	200kg	190kg	250kg	240kg	300kg	290kg	350kg	340kg	410kg	400kg
Height	1,12m	1,12m	1,12m	1,12m	1,12m	1,12m	1,12m	1,12m	1,12m	1,12m
Depth	0,98m	0,98m	0,98m	0,98m	0,98m	0,98m	0,98m	0,98m	0,98m	0,98m
Height of seats	320mm	320mm	320mm	320mm	320mm	320mm	320mm	320mm	320mm	320mm
Width of seats	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm	350mm
Thickness of seats	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm
Wood outside thickness	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm	41mm
Flooring thickness	39mm	39mm	39mm	39mm	39mm	39mm	39mm	39mm	39mm	39mm
Package size (assembled)	160x120x170		180x120x190		200x120x210		220x120x230		240x120x250	
Package size (flat-pack)	160x120		180x120		200x120		220x120		240x120	

Oval Wooden Hot Tub with Outside Stove

Model number	OE/OT/OL13	OE/OT/OL16
Size	1,3x0,85 m	1,6x1,0 m
Capacity	2 persons	2 persons
Volume	600l	900l
Weight	150kg	180kg
Height	1,12m	1,12m
Depth	0,98m	0,98m
Height of seats	320mm	320mm
Thickness of seats	41mm	41mm
Wood outside thickness	41mm	41mm
Flooring thickness	39mm	39mm
Package size (assembled)	130x120x95	160x120x110
Package size (flat-pack)	130x120	160x120



Stainless Steel Wooden Hot Tub

Model number	LTN16		LTN18		LTN20	
Size	Ø1,6		Ø1,8		Ø2,0	
Stove	Outside	Inside	Outside	Inside	Outside	Inside
Capacity	3-4 persons	2-3 persons	5-6 persons	4-5 persons	6-8 persons	5-6 persons
Volume	1 300l	1 200l	1 800l	1 700l	2 300l	2 200l
Weight	270kg	260kg	330kg	320kg	390kg	380kg
Height	1,12m	1,12m	1,12m	1,12m	1,12m	1,12m
Depth	0,98m	0,98m	0,98m	0,98m	0,98m	0,98m
Height of seats	320mm	320mm	320mm	320mm	320mm	320mm
Thickness of seats	41mm	41mm	41mm	41mm	41mm	41mm
Wood outside thickness	41mm	41mm	41mm	41mm	41mm	41mm
Flooring thickness	39mm	39mm	39mm	39mm	39mm	39mm
Stainless steel bath thickness	1mm	1mm	1mm	1mm	1mm	1mm
Width of seats	350mm	350mm	350mm	350mm	350mm	350mm
Package size	160x120x170		180x120x190		200x120x210	




WOODEN HOT TUB series

WITH OUTSIDE STOVE

Model number	LE/LL/LT16	LE/LL/LT18	LE/LL/LT20	LE/LL/LT22	LE/LL/LT24
Size	Ø1,6	Ø1,8	Ø2,0	Ø2,2	Ø2,4
Stove	Outside	Outside	Outside	Outside	Outside
Capacity	4-6 persons	7-8 persons	8-10 persons	9-11 persons	10-12 persons
Volume	1 400l	1 900l	2 400l	3 000l	3 700l
Weight	200kg	250kg	300kg	350kg	410kg
Height	1,12m	1,12m	1,12m	1,12m	1,12m
Depth	0,98m	0,98m	0,98m	0,98m	0,98m
Height of seats	320mm	320mm	320mm	320mm	320mm
Width of seats	350mm	350mm	350mm	350mm	350mm
Thickness of seats	41mm	41mm	41mm	41mm	41mm
Wood outside thickness	41mm	41mm	41mm	41mm	41mm
Flooring thickness	39mm	39mm	39mm	39mm	39mm
Package size (assembled)	160x120x170	180x120x190	200x120x210	220x120x230	240x120x250
Package size (flat-pack)	160x120	180x120	200x120	220x120	240x120

Wood:
- **Spruce (LE)**
- **Larch (LL)**
- **Thermowood (LT)**

Stove
- **Aluminium 27 - 35kW**
- **Stainless steel - 35kW**



ADDITIONAL EQUIPMENT

Air massage system AIR8

Led lighting LED8

Sand filtration system

Wooden lid

Drain valve

Water thermometer

Chimney guard

Steps



WOODEN HOT TUB series

WITHINSIDESTOVE/OUTSIDE STOVE

Model number	LTN16		LTN18		LTN20	
Size	Ø1,6		Ø1,8		Ø2,0	
Stove	Outside	Inside	Outside	Inside	Outside	Inside
Capacity	3-4 persons	2-3 persons	5-6 persons	4-5 persons	6-8 persons	5-6 persons
Volume	1 300l	1 200l	1 800l	1 700l	2 300l	2 200l
Weight	270kg	260kg	330kg	320kg	390kg	380kg
Height	1,12m	1,12m	1,12m	1,12m	1,12m	1,12m
Depth	0,98m	0,98m	0,98m	0,98m	0,98m	0,98m
Height of seats	320mm	320mm	320mm	320mm	320mm	320mm
Thickness of seats	41mm	41mm	41mm	41mm	41mm	41mm
Wood outside thickness	41mm	41mm	41mm	41mm	41mm	41mm
Flooring thickness	39mm	39mm	39mm	39mm	39mm	39mm
Stainless steel bath thickness	1mm	1mm	1mm	1mm	1mm	1mm
Width of seats	350mm	350mm	350mm	350mm	350mm	350mm
Package size	160x120x170		180x120x190		200x120x210	

Cladding:
Thermowood

Inside Stove
Stainless steel 24kw

Outside Stove
Stainless steel - 35kW









ADDITIONAL EQUIPMENT

- Air massage system AIR8
- Led lighting LED8
- Sand filtration system
- Wooden lid
- Drain valve
- Water thermometer
- Chimney guard
- Steps



WOODEN HOT TUB series

WITH INSIDE STOVE

Model number	LE/LL/LT16	LE/LL/LT18	LE/LL/LT20	LE/LL/LT22	LE/LL/LT24
Size	Ø1,6	Ø1,8	Ø2,0	Ø2,2	Ø2,4
Stove	Inside	Inside	Inside	Inside	Inside
Capacity	4-5 persons	6-7 persons	7-8 persons	8-9 persons	9-10 persons
Volume	1 300l	1 800l	2 300l	2 900l	3 600l
Weight	190kg	240kg	290kg	340kg	400kg
Height	1,12m	1,12m	1,12m	1,12m	1,12m
Depth	0,98m	0,98m	0,98m	0,98m	0,98m
Height of seats	320mm	320mm	320mm	320mm	320mm
Width of seats	350mm	350mm	350mm	350mm	350mm
Thickness of seats	41mm	41mm	41mm	41mm	41mm
Wood outside thickness	41mm	41mm	41mm	41mm	41mm
Flooring thickness	39mm	39mm	39mm	39mm	39mm
Package size (assembled)	160x120x170	180x120x190	200x120x210	220x120x230	240x120x250
Package size (flat-pack)	160x120	180x120	200x120	220x120	240x120

Wood:
- **Spruce (LE)**
- **Larch (LL)**
- **Thermowood (LT)**

Stove
- **Aluminium 27kW**
- **Stainless steel - 24kW**



ADDITIONAL EQUIPMENT

Air massage system AIR8

Led lighting LED8

Sand filtration system

Wooden lid

Drain valve

Water thermometer

Chimney guard

Steps



WOODEN HOT TUB series

OVALWOODENHOTTUBWITH OUTSIDE STOVE

Model number	OE/OT/OL13	OE/OT/OL16
Size	1,3x0,85 m	1,6x1,0 m
Capacity	2 persons	2 persons
Volume	600l	900l
Weight	150kg	180kg
Height	1,12m	1,12m
Depth	0,98m	0,98m
Height of seats	320mm	320mm
Thickness of seats	41mm	41mm
Wood outside thickness	41mm	41mm
Flooring thickness	39mm	39mm
Package size (assembled)	130x120x95	160x120x110
Package size (flat-pack)	130x120	160x120

Wood:
- **Spruce (LE)**
- **Larch (LL)**
- **Thermowood (LT)**

Stove
- **Aluminium 27kW**
- **Stainless steel - 24kW**



ADDITIONAL EQUIPMENT

Air massage system AIR8

Led lighting LED8

Sand filtration system

Wooden lid

Drain valve

Water thermometer

Chimney guard

Steps



WOODEN HOT TUB series

WOODENHOTTUBWITHOUTHEATER 2-12 PERSONS

Model number	LE/LL/LT16	LE/LL/LT18	LE/LL/LT20	LE/LL/LT22	LE/LL/LT24
Size	Ø1,6	Ø1,8	Ø2,0	Ø2,2	Ø2,4
Capacity	4-6 persons	7-8 persons	8-10 persons	9-11 persons	10-12 persons
Volume	1 400l	1 900l	2 400l	3 000l	3 700l
Weight	200kg	250kg	300kg	350kg	410kg
Height	1,12m	1,12m	1,12m	1,12m	1,12m
Depth	0,98m	0,98m	0,98m	0,98m	0,98m
Height of seats	320mm	320mm	320mm	320mm	320mm
Width of seats	350mm	350mm	350mm	350mm	350mm
Thickness of seats	41mm	41mm	41mm	41mm	41mm
Wood outside thickness	41mm	41mm	41mm	41mm	41mm
Flooring thickness	39mm	39mm	39mm	39mm	39mm
Package size (assembled)	160x120x170	180x120x190	200x120x210	220x120x230	240x120x250
Package size (flat-pack)	160x120	180x120	200x120	220x120	240x120

Wood:
- **Spruce (LE)**
- **Larch (LL)**
- **Thermowood (LT)**



ADDITIONAL EQUIPMENT

Air massage system AIR8

Led lighting LED8

Sand filtration system

Wooden lid

Drain valve

Water thermometer

Chimney guard

Steps